

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Implusive Rush (LF) Reed Diffuser (21% + Augeo)

**Version:** 1

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** Implusive Rush (LF) Reed Diffuser (21% + Augeo) (Contains: Benzyl salicylate)

**Other identifiers:** None

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product uses:** Reed Diffuser

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Freshskin Beauty Ltd

**Company address:** Grant House  
Grant Street  
Nottingham  
NG7 3GS  
GB - United Kingdom  
(Office hours: Monday to Friday 09.00 to 16.00)

**Contact:** Paul Rawden

**E-Mail address:** info@freshskin.co.uk

**Company phone:** +44 (0)115 847 0585

#### 1.4 Emergency telephone number

**Emergency phone:** Outside Office Hours: +44 (0) 7846 174876

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Eye Damage / Irritation Category 2  
Sensitization - Skin Category 1  
Hazardous to the Aquatic Environment - Long-term Hazard Category 3  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.  
H412, Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

##### **Classification under Regulation (EC) No 1272/2008**

**Signal word:** Warning

**Hazard statements:** H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Impulsive Rush (LF) Reed Diffuser (21% + Augeo)

**Version:** 1

H412, Harmful to aquatic life with long lasting effects.

**Supplemental Information:**

EUH208, Contains 3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde, Acetyl cedrene, Dihydro Pentamethylindanone (DPMI), Hydroxycitronellal, Linalool, Methylendioxyphenyl Methylpropanal, Tetramethyl acetylocathydronaphthalenes, delta-Damascone. May produce an allergic reaction.

**Precautionary statements:**

P261, Avoid breathing vapour or dust.  
 P264, Wash hands and other contacted skin thoroughly after handling.  
 P272, Contaminated work clothing should not be allowed out of the workplace.  
 P273, Avoid release to the environment.  
 P280, Wear protective gloves/eye protection/face protection.  
 P302/352, IF ON SKIN: Wash with plenty of soap and water.  
 P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
 P337/313, If eye irritation persists: Get medical advice/attention.  
 P363, Wash contaminated clothing before reuse.  
 P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



**2.3 Other hazards**

**Other hazards:** None

### Section 3. Composition / information on ingredients

**3.2 Mixtures**

**Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
2,2-dimethyl-1,3-dioxolan-4-ylmethanol	100-79-8	202-888-7		50-100%	Eye Irrit. 2;H319,-
Benzyl salicylate	118-58-1	204-262-9		1-<5%	Skin Sens. 1B-Aquatic Chronic 3;H317-H412,-
Tetrahydro-Methyl-Methylpropyl)-Pyran-4-ol	63500-71-0	405-040-6		1-<5%	Eye Irrit. 2;H319,-
Linalool	78-70-6	201-134-4		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Impulsive Rush (LF) Reed Diffuser (21% + Augeo)

**Version:** 1

Hydroxycitronellal	107-75-5	203-518-7		0.1-<1%	Eye Irrit. 2-Skin Sens. 1B;H317-H319,-
Acetyl cedrene	32388-55-9	251-020-3		0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H400-H410,-
Methylenedioxyphenyl Methylpropanal	1205-17-0	214-881-6		0.1-<1%	Skin Sens. 1B-Repr. 2-Aquatic Chronic 2; H317-H361-H411,-
Tetramethyl acetylocathronaphthalenes	54464-57-2, 68155-66-8, 68155-67-9	259-174-3, 268-978-3, 268-979-9, 915-730-3		0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 1; H315-H317-H410,-
3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde	67634-14-4, 67634-15-5	266-818-7, 266-819-2		0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2; H315-H317-H400-H411,-
Allyl caproate	123-68-2	204-642-4		0.1-<1%	Acute Tox. 3-Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 3; H301-H311-H331-H400-H412,-
Dihydro Pentamethylindanone (DPMI)	33704-61-9	251-649-3		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2;H315-H317-H319-H411,-
delta-Damascone	57378-68-4	260-709-8		<0.1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1; H302-H315-H317-H400-H410,-

### Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Diethyl phthalate	84-66-2	201-550-6		10-<20%	-;-,-

### Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

### 4.1 Description of first aid measures

- Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
- Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.
- Ingestion:** Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Implusive Rush (LF) Reed Diffuser (21% + Augeo)

**Version:** 1

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## Section 5: Firefighting measures

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Implusive Rush (LF) Reed Diffuser (21% + Augeo)

**Version:** 1

### 7.3 Specific end use(s):

Reed Diffuser: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-hour TWA) (mg/m <sup>3</sup> )	5
			Short-term exposure limit (15-minute) (mg/m <sup>3</sup> )	10

#### 8.2 Exposure Controls

##### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

##### Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Not determined
<b>Odour:</b>	Not determined
<b>Odour threshold:</b>	Not determined
<b>pH:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Initial boiling point / range:</b>	Not determined
<b>Flash point:</b>	Not determined
<b>Evaporation rate:</b>	Not determined
<b>Flammability (solid, gas):</b>	Not determined
<b>Upper/lower flammability or explosive limits:</b>	Product does not present an explosion hazard

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Impulsive Rush (LF) Reed Diffuser (21% + Augeo)

**Version:** 1

<b>Vapour pressure:</b>	Not determined
<b>Vapour density:</b>	Not determined
<b>Relative density:</b>	Not determined
<b>Solubility(ies):</b>	Not determined
<b>Partition coefficient: n-octanol/water:</b>	Not determined
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not determined
<b>Viscosity:</b>	Not determined
<b>Explosive properties:</b>	Not expected
<b>Oxidising properties:</b>	Not expected

**9.2 Other information:** None available

### Section 10. Stability and reactivity

**10.1 Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

**10.2 Chemical stability:**

Good stability under normal storage conditions.

**10.3 Possibility of hazardous reactions:**

Not expected under normal conditions of use.

**10.4 Conditions to avoid:**

Avoid extreme heat.

**10.5 Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

**10.6 Hazardous decomposition products:**

Not expected.

### Section 11. Toxicological information

**11.1 Information on toxicological effects**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

<b>Acute Toxicity:</b>	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
<b>Skin corrosion/irritation:</b>	Based on available data the classification criteria are not met.
<b>Serious eye damage/irritation:</b>	Eye Damage / Irritation Category 2
<b>Respiratory or skin sensitisation:</b>	Sensitization - Skin Category 1

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Impulsive Rush (LF) Reed Diffuser (21% + Augeo)

**Version:** 1

**Germ cell mutagenicity:** Based on available data the classification criteria are not met.  
**Carcinogenicity:** Based on available data the classification criteria are not met.  
**Reproductive toxicity:** Based on available data the classification criteria are not met.  
**STOT-single exposure:** Based on available data the classification criteria are not met.  
**STOT-repeated exposure:** Based on available data the classification criteria are not met.  
**Aspiration hazard:** Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Allyl caproate	123-68-2	204-642-4	300	300	3	Vapour mg/l

Refer to Sections 2 and 3 for additional information.

### Section 12. Ecological information

**12.1 Toxicity:**

Harmful to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

**12.5 Results of PBT and vPvB assessment:**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

### Section 13. Disposal considerations

**13.1 Waste treatment methods:**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	None	-			-
IMDG	None	-			-
ADR,RID,ADN	None	-			-
ICAO TI	None	-			-

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Impulsive Rush (LF) Reed Diffuser (21% + Augeo)

**Version:** 1

**14.5 Environmental hazards:** Not environmentally hazardous for transport

**14.6 Special precautions for user:** None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not classified

### Section 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

None additional

**15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

**Concentration % Limits:** EH C3=64.77% EDI 2=12.43% SS 1=34.01%

**Total Fractional Values:** EH C3=1.54 EDI 2=8.04 SS 1=2.94

**Key to revisions:**

Not applicable

**Key to abbreviations:**

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 3	Acute Toxicity - Dermal Category 3
Acute Tox. 3	Acute Toxicity - Inhalation Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Irrit. 2	Eye Damage / Irritation Category 2
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Impulsive Rush (LF) Reed Diffuser (21% + Augeo)

**Version:** 1

H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P311	Call a POISON CENTRE or doctor/physician.
P330	Rinse mouth.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.