

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: COAL TAR (Contains:1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one, 4,7,7-Trimethylbicyclo[3.1.1]hept-3-ene, Cinnamal, Eugenol)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Freshskin Beauty Limited

Company address: Grant House
Grant Street
Nottingham
Ng7 3gs
UK

Contact: Regulatory Affairs
E-Mail address: info@freshskin.co.uk

Company phone: 0115 8470585

1.4 Emergency telephone number

Emergency phone: (+44) 7846174876

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Skin Corrosion / Irritation Category 2
Eye Damage / Irritation Category 1
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H318, Causes serious eye damage.
H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Danger

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

Hazard statements: H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H318, Causes serious eye damage.
H411, Toxic to aquatic life with long lasting effects.

Supplemental Information: EUH208, Contains 1,8-Cineole, 3,7-dimethyloct-6-enal, 7,7-dimethyl-4-methylidenebicyclo [3.1.1]heptane, Amyl Cinnamal, Caryophyllene, Coumarin, Isoeugenol, Linalool, Linalyl Acetate, Methyl Cedryl Ketone, hexyl 2-hydroxybenzoate. May produce an allergic reaction.

Precautionary statements: P261, Avoid breathing vapour or dust.
P264, Wash hands and other contacted skin thoroughly after handling.
P272, Contaminated work clothing should not be allowed out of the workplace.
P273, Avoid release to the environment.
P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310, Immediately call a POISON CENTER or doctor/physician.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P362, Take off contaminated clothing and wash before reuse.
P391, Collect spillage.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Terpineol	8000-41-7	232-268-1	01-2119553062-49-XXXX	20-<50%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-	oral: ATE = 4300 mg/kg bw
Eugenol	97-53-0	202-589-1	01-2119971802-33-XXXX or natural source	5-<10%	Eye Irrit. 2-Skin Sens. 1B;H317-H319,-	oral: ATE = 2300 mg/kg bw

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

4,7,7-Trimethylbicyclo [3.1.1]hept-3-ene	80-56-8	201-291-9	01-2119519223-49-XXXX or natural source	1-<5%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H302-H304-H315-H317-H410,-	M = 1-oral: ATE = 500 mg/kg bw
1,7,7-Trimethylbicyclo [2.2.1]heptan-2-one	76-22-2, 21368-68-3	200-945-0, 244-350-4	01-2119966156-31-XXXX or natural source	1-<5%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Chronic 2-STO-SE 2_ROUTE;H228-H302-H315-H318-H332-H371-H411,-	inhalation: ATE = 1.5 mg/l (dusts or mists)-oral: ATE = 1500 mg/kg bw
Thymol	89-83-8	201-944-8	01-2119511177-46-XXXX	1-<5%	Acute Tox. 4-Skin Corr. 1B-Eye Dam. 1-Aquatic Chronic 2;H302-H314-H411,-	oral: ATE = 980 mg/kg bw
Cinnamal	104-55-2, 57194-69-1	203-213-9	01-2119950687-24-XXXX 01-2119935242-45-XXXX	1-<5%	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1A-Aquatic Chronic 3;H312-H315-H317-H319-H412,-	dermal: ATE = 1100 mg/kg bw-oral: ATE = 2200 mg/kg bw
rosin acids and rosin acids, hydrogenated, me esters	8050-15-5	232-476-2	01-2119969275-26-XXXX	1-<5%	Aquatic Chronic 3; H412,-	
Amyl Cinnamal	122-40-7	204-541-5	01-2119978288-18-XXXX	1-<5%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	oral: ATE = 3730 mg/kg bw
Methyl Cedryl Ketone	32388-55-9	251-020-3	01-2119969651-28-XXXX	1-<5%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,-	M = 1-M = 1-oral: ATE = 4500 mg/kg bw
Para-Cymene	99-87-6	202-796-7	01-2119881770-31-XXXX or natural source	1-<5%	Flam. Liq. 3-Acute Tox. 3-Repr. 2-Asp. Tox 1-Aquatic Chronic 2; H226-H304-H331-H361-H411,-	inhalation: ATE = 3 mg/l (vapour)-oral: ATE = 4750 mg/kg bw
Coumarin	91-64-5	202-086-7	01-2119949300-45-XXXX or natural source	1-<5%	Acute Tox. 4-Skin Sens. 1B;H302-H317,-	oral: ATE = 500 mg/kg bw
hexyl 2-hydroxybenzoate	6259-76-3	228-408-6	01-2119638275-36-XXXX	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H315-H317-H410,-	M = 1-M = 1
7,7-dimethyl-4-methylidenebicyclo [3.1.1]heptane	127-91-3, 18172-67-3	204-872-5, 242-060-2	01-2119519230-54-XXXX	1-<5%	Flam. Liq. 3-Acute Tox. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H304-H315-H317-H410,-	M = 1-M = 1
cedrene alpha	469-61-4, 11028-42-5	207-418-4, 234-257-7	Exempt <1 tonne/pa or natural source	0.1-<1%	Skin Irrit. 2-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H304-H315-H410,-	M = 10
1,8-Cineole	470-82-6	207-431-5	01-2119967772-24-XXXX	0.1-<1%	Flam. Liq. 3-Skin Sens. 1B;H226-H317,-	oral: ATE = 2480 mg/kg bw
Caryophyllene	87-44-5	201-746-1	01-2120745237-53-XXXX or natural source	0.1-<1%	Skin Sens. 1B-Asp. Tox 1;H304-H317,-	
Linalool	78-70-6	201-134-4	01-2119474016-42-XXXX	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
beta-Cedrene	546-28-1, 11028-42-5	208-898-8, 234-257-7	Exempt < 1 Tonne/pa or natural source	0.1-<1%	Skin Irrit. 2-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H304-H315-H410,-	M = 10

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR**Version:** 2

Linalyl Acetate	115-95-7	204-116-4	01-2119454789-19-XXXX	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	
7-methyl-3-methylideneocta-1,6-diene	123-35-3	204-622-5	Exempt < 1 Tonne/pa or natural source	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2; H226-H304-H315-H319-H400-H411,-	M = 1
p-Mentha-1,4-diene	99-85-4	202-794-6	Exempt < 1 Tonne/pa or natural source	0.1-<1%	Flam. Liq. 3-Repr. 2-Asp. Tox 1-Aquatic Chronic 2;H226-H304-H361-H411,-	oral: ATE = 3650 mg/kg bw
3,7-dimethyloct-6-enal	106-23-0, 5949-05-3	203-376-6	01-2119474900-37-XXXX	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	dermal: ATE = 2500 mg/kg bw-oral: ATE = 2500 mg/kg bw
Longifolene	475-20-7	207-491-2	Exempt < 1 Tonne/pa or natural source	<0.1%	Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H304-H317-H410,-	M = 10-M = 1
Isoeugenol	97-54-1	202-590-7	01-2120223682-61-XXXX or natural source	<0.1%	Acute Tox. 4-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1A-STOT SE 3;H302-H312-H315-H317-H319-H332-H335,-	Skin Sens. 1; H317; C ≥ 0.01%-dermal: ATE = 1912 mg/kg bw-oral: ATE = 1500 mg/kg bw

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
1,7,7-Trimethylbicyclo [2.2.1]heptan-2-one	76-22-2, 21368-68-3	200-945-0, 244-350-4	01-2119966156-31-XXXX or natural source	1-<5%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Chronic 2-STO-SE 2_ROUTE;H228-H302-H315-H318-H332-H371-H411,-	inhalation: ATE = 1.5 mg/l (dusts or mists)-oral: ATE = 1500 mg/kg bw
Diethyl Phthalate	84-66-2	201-550-6	01-2119486682-27-XXXX	20-<50%	-;-,-	
Limonene	5989-27-5, 138-86-3, 5989-54-8	205-341-0, 227-813-5, 227-815-6	Exempt < 1 Tonne/pa or natural source	0.1-<1%	-;-,-	

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures**4.1 Description of first aid measures****Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

Ingredient	CAS	EC	Description	Value
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	76-22-2, 21368-68-3	200-945-0, 244-350-4	UK WEL Long term ppm	2 ppm
			UK WEL Long term mgm3	13 mg/m ³
			UK WEL Short term ppm	3 ppm
			UK WEL Short term mgm3	19 mg/m ³
			Polish NDS mgm3	12 mg/m ³
			Polish NDSCh mgm3	18 mg/m ³
Diethyl Phthalate	84-66-2	201-550-6	UK WEL Long term mgm3	5 mg/m ³
			UK WEL Short term mgm3	10 mg/m ³
			EU Long-term exposure limit (8-hour TWA) (mg/m3)	5 mg/m ³
			EU Short-term exposure limit (15-minute) (mg/m3)	10 mg/m ³
			Polish NDS mgm3	3 mg/m ³
Limonene	5989-27-5, 138-86-3, 5989-54-8	205-341-0, 227-813-5, 227-815-6	German OEL Short term mgm3	112 mg/m ³
			German OEL Long term ppm	5 ppm
			German OEL Long term mgm3	28 mg/m ³

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour:	PALE YELLOW TO YELLOW LIQUID
Odour:	CHARACTERISTIC
Odour threshold:	Not determined
Melting point / freezing point:	Not determined
Boiling point or initial boiling point and boiling range:	Not determined
Flammability:	Not determined
Lower and upper explosion limit:	Not determined
Flash point (CC):	> 62 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not relevant
pH:	Not determined
Kinematic viscosity:	Not determined
Solubility:	Not determined
Partition coefficient: n-octanol/water (log value):	Not determined
Vapour pressure (calculated mmHg):	0.27072705 mmHg
Density and/or relative density:	1.0000 - 1.0200
Relative vapour density:	Not determined
Particle characteristics:	Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	3486
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 1
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
1,7,7-Trimethylbicyclo [2.2.1]heptan-2-one	76-22-2, 21368-68-3	200-945-0, 244-350-4	1500	Not available	1.5	Dust/mist
4,7,7-Trimethylbicyclo [3.1.1]hept-3-ene	80-56-8	201-291-9	500	Not available	Not available	Not available
Cinnamal	104-55-2, 57194-69-1	203-213-9	2200	1100	Not available	Not available
Coumarin	91-64-5	202-086-7	500	Not available	Not available	Not available
Para-Cymene	99-87-6	202-796-7	4750	Not available	3	Vapour mg/l
Thymol	89-83-8	201-944-8	980	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable

12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (WGK): 3
 Volatile Organic Compounds content: 9.137%
 VOC Switzerland content: 1.714%
 Hydrocarbon Concentration %: 7.5208%

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C2=10.78% EH C3=1.08% EH C4=65.72% SCI 2=14.59% EDI 1=38.98% EDI 2=9.31% EDI 2A=9.31% SS 1=3.88%

Total Fractional Values: EH C2=9.27 EH C3=92.94 EH C4=1.52 SCI 2=6.85 EDI 1=2.57 EDI 2=10.74 EDI 2A=10.74 SS 1=25.74

Key to revisions:

Information about hazardous ingredients in the mixture

SECTION 3: Composition/information on ingredients

Workplace exposure limits

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity - Inhalation Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H371	May cause damage to organs (organs, exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P311	Call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: COAL TAR

Version: 2

P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.